



# APPROVAL SHEET

**Mid-tower computer case**

**MODEL NO.: SP1602B-U3**



|                                                                                                |                   |
|------------------------------------------------------------------------------------------------|-------------------|
| <b>Article No. : SP-AP-SK-A139</b><br><b>Issue Date : Dec. 4, 2013</b><br><b>Version : A/0</b> | <b>Audited by</b> |
| <b>Checked by</b>                                                                              | <b>Drafted by</b> |

**Spire Corp.**

**Tel.: +86-755-26801568    Fax: +86-755-26801561**

**[Http://www.spire-corp.com](http://www.spire-corp.com)**

**[Http://www.spirepower.com](http://www.spirepower.com)**

**[Http://www.spirecoolers.com](http://www.spirecoolers.com)**



**Spire Corp.**

## **Approval Sheet Revisement Record**

**Article No: SP-AP-SK-A139**

| <b>Version</b> | <b>Revised Chapter</b> | <b>Description</b> | <b>Revised Date</b> | <b>Drafted by</b> | <b>Audited by</b> | <b>ECN No.</b> |
|----------------|------------------------|--------------------|---------------------|-------------------|-------------------|----------------|
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |
|                |                        |                    |                     |                   |                   |                |



## Contents

|          |                            |          |
|----------|----------------------------|----------|
| <b>1</b> | <b>Features .....</b>      | <b>4</b> |
| <b>2</b> | <b>Accessories .....</b>   | <b>4</b> |
| <b>3</b> | <b>Specification .....</b> | <b>5</b> |
| <b>4</b> | <b>Pictures .....</b>      | <b>6</b> |



**1 Features:**

- \* Folded edge for safe device installation.
- \* Front access USB 2.0&3.0 and audio
- \* Micro ATX & ATX Compatible
- \* Easy installation, thumb-screw side-panel
- \* Optimized internal space design
- \* LED power, drive activity indicator

**2 Accessories:**

- \* User installation manual
- \* Screws bag



### **3 Specification**

**Color:**

Font Panel: Black

Side & top panel: black

**Material:**

Front panel : ABS

Structure: 0.35mm, SGCC

**Font I/O connection:**

Audio & earphone x1

USB 2.0 x1,USB3.0 x1

**Drive bays:**

2.5" bays: 2--- 2 internal

3.5" bays: 4--- 4 internal

5.25 "bays: 3--- 3 external

**Motherboard:**

- 9.6" x 9.6" (Micro ATX) 244\*244 mm, - 12" x 9.6" (ATX) 305\*244mm

**Bracket slots: 7**

**Cooling:**

Side:2\* 12cm fan space

Rear:12cm fan space

**PSU compatible: ATX**

**Installation:**

Hand screw side panel

**Dimensions&Weight:**

Product: 401(L)\*180(W)\*415(H)mm N.W 2.7kg

Packaging: 455\*220\*450mm (L\*W\*H) G.W 3.3kg



Spire Corp.

4 Pictures:





Spire Corp.

Spire Coolers Corp.  
FL7/8 Building B houhai Blvd  
Dongjiaotou Industrial Park Shekou  
Nanshan, Shenzhen, China  
Tel.: +86-0755-26801567  
Fax: +86-0755-26801561  
W.: www.spire-corp.com



### RoHS Declaration of Conformity

Spire hereby declares under our sole responsibility that the product:



**Part number:** SP1602B-U3

- \* Folded edge for safe device installation.
- \* Front access USB 2.0 & USB3.0 and audio
- \* Micro ATX & Full ATX Compatible
- \* Easy installation, thumb-screw side-panel
- \* Optimized internal space design
- \* LED power, drive activity indicator

Is tested and approved in compliance with the EUROPEAN COUNCIL ROHS DERECTIVE.

(Restriction of Hazardous Substances) which will restrict the use of certain substances in electrical and electronic products: including lead (Pb), mercury, cadmium, hexavalent chromium, and certain halide-containing flame retardants. The directive applies to all electrical and electronic products, their component parts that are placed on the market after July 1, 2006.

Spire Coolers Corp.  
PM Engineering Dept.

Nanshan, Shenzhen

